



Setting Leak Alerts EyeOnWater




Login to EyeOnWater account

Click on set leak alert on the top left of screen



Select intermittent flow unless continuous flow is expected

Click the blue arrow to go to the next screen



For permanent residents set between 1-3 gallons

If this is a vacation property should set to 1 gallon

Click the blue arrow to continue to next page

Alert Configuration for OFFICE

Send Email Notifications to

Add Email:

Want to get alerts delivered as text messages directly on your phone? ?

☒ mcarroll@boguebankswater.com
☒ 2523543307@vtext.com


☐ Day
☐ 2 Days
☐ 3 Days

TYPE LIMITS ALERTS SUMMARY

2:58 PM ON NOV 18

Here you can set up to send email notifications and/or text notifications

You can add as many email or phone numbers – also you can remove them from this screen

Mobile carrier	SMS gateway domain
Alltel ^[8]	sms.alltelwireless.com
AT&T ^[9]	txt.att.net
Boost Mobile ^[8]	sms.myboostmobile.com
Cricket Wireless	mms.cricketwireless.net
FirstNet 	txt.att.net
Google Fi ^[10]	
MetroPCS	mymetropcs.com
Republic Wireless ^[11]	text.republicwireless.com
Sprint ^[8]	messaging.sprintpcs.com
T-Mobile ^[8]	tmomail.net
U.S. Cellular ^[8]	email.uscc.net
Verizon Wireless ^[12]	vtext.com
Virgin Mobile ^[8]	vmobl.com

Depending on your wireless carrier you may need to input phone number followed by @ and the SMS Gateway domain

Alert Configuration for OFFICE

Preview alert

Alert Settings

Type of flow	Intermittent
Flow Threshold	Maximum 3 Gallons /hr
Reminder Frequency	Every day
Alert Status	<input checked="" type="checkbox"/> Active <input type="checkbox"/>
Test Alert	<input type="checkbox"/> Inactive <input checked="" type="checkbox"/>

Notifications ?

Start Reminder Stop

Leak start alert In the past 24 hours, a leak of XXX /hr has been detected.

← TYPE LIMITS ALERTS SUMMARY Save

Here you can select to set Alert status to ACTIVE and Test Alert to ACTIVE and then click save

You should receive an email and/or text for test notification soon after